



## FILTRATIONS FILTRATIES

### 4. CARTOUCHES DE RECHANGE FILTERKAARSEN

Neuves, toutes les cartouches se ressemblent. Cependant, celles fabriquées en "Reemay" ont une efficacité et une résistance largement supérieure à celles d'autres matériaux. En tant que représentant de la firme Unicel en Europe, nous disposons d'une très large gamme de cartouches filtrantes, dont de plus en plus de modèles sont livrables de stock.

Uiterlijk lijken alle filterkaarsen op elkaar. De kaarsen vervaardigd uit "Reemay" vertonen echter een veel hogere slijt-  
vastheid dan gelijkaardige kaarsen uit andere grondstoffen. Als vertegenwoordiger van Unicel filterkaarsen voor Europa kunnen wij een breed gamma filterkaarsen aanbieden, waarvan steeds meer modellen uit stock leverbaar zijn.



Réf.	OEM	Utilisation / Toepassingen	H (mm)	OD (mm)	Top End Cap: ID/Config Bot. End Cap: ID /Config	Surface Opp. sq. ft.	€
11184	20027	MTH IS 2 (par paire/per paar)	215	145	top closed; 105mm open		49,00
11185	200241	MTH IS 6-12 (par paire/per paar)	215	165	top closed; 110mm open		57,80
12568	C-2300	Harmsco T-380, préfiltre en ligne / in lijn voorfilters	246	69	28mm open; 28 mm open	6	8,00
	C-2300 par 100 / per 100	Harmsco T-380, préfiltre en ligne / in lijn voorfilters	246	69	28mm open; 28 mm open	6	6,40
12572	C-3302	Intex type «E»	94	80	27mm open; 27mm open		6,99
	C-3302 par 36 / per 36	Intex type «E»	94	80	27mm open; 27mm open		5,59
12574	C-4301	Martec-6; Cal Spas	378	125	55mm open; 55mm open		29,00
	C-4301 par 18 / per 18	Martec-6; Cal Spas	378	125	55mm open; 55mm open		23,20
12573	C-4304	SLM - Haugh's D8 - Pelican - Hobby Pool	202	110	top closed; 50mm open		12,50
	C-4304 par 45 / per 45	SLM - Haugh's D8 - Pelican - Hobby Pool	202	110	top closed; 50mm open		10,00

H=hauteur/hoogte OD=diamètre ext.-uitw.diameter ID=diamètre int.-inw.diameter

N.B. N'hésitez pas à nous consulter pour tout autre  
type de cartouches.

N.B. Onze diensten staan ter uwer beschikking voor  
alle informatie omtrent andere kaarsen.



# FILTRATION FILTRATIE

Tarif professionnel 2012 HTVA  
sous réserve de modifications

Réf.	OEM	Utilisation / Toepassingen	H (mm)	OD (mm)	Top End Cap: ID/Config Bot. End Cap: ID /Config	Surface Opp. sq. ft.	€
12601	C-4310	Skim filter	108	102	49mm open		24,50
	C-4310 par 12 / per 12	Skim filter	108	102	49mm open		19,60
12579	C-4320	Hayward CX200-RE	300	117	50mm open, 50mm open		29,90
	C-4320 par 18 / per 18	Hayward CX200-RE	300	117	50mm open, 50mm open		23,90
12580	C-4325	Hayward CX225-RE	300	117	50mm open, 50mm open		33,50
	C-4325 par 18 / per 18	Hayward CX225-RE	300	117	50mm open, 50mm open		26,80
12603	C-4326	Sundance - Rainbow - American - Cal Spas - Blue Pacific, Arctic, Beachcomber - jacuzzi - Spa Crest -Dynasty	338	125	54mm open, 54mm open	25	32,90
	C-4326 par 18 / per 18	Sundance - Rainbow - American - Cal Spas - Blue Pacific, Arctic, Beachcomber - jacuzzi - Spa Crest -Dynasty	338	125	54mm open, 54mm open	25	26,30
12587	C-4335	Rainbow, Waterway Plastics; Beachcomber - Dynasty	235	125	54mm open, 54mm open	35	47,40
	C-4335 par 12 / per 12	Rainbow, Waterway Plastics; Beachcomber - Dynasty	235	125	54mm open, 54mm open	35	37,90
12588	C-4340	Dimension One Spas	295	125	54mm open, 54mm open		61,90
	C-4340 par 18 / per 18	Dimension One Spas	295	125	54mm open, 54mm open		49,50
12581	C-4401	Sundance - Rainbow - Catalina Spas - Dynasty (par paire/per paar)	117	125	54mm open, 54mm open		63,30
	C-4401 par 12 / per 12	Sundance - Rainbow - Catalina Spas - Dynasty (par paire/per paar)	117	125	54mm open, 54mm open		50,60
12586	C-4405	Rainbow DSF-50, Waterway Plastics - Catalina Spas (par paire/per paar)	168	125	54mm open, 54mm open		74,30
	C-4405 par 18 / per 18	Rainbow DSF-50, Waterway Plastics - Catalina Spas (par paire/per paar)	168	125	54mm open, 54mm open		59,40
12589	C-4440	Sundance Spas	425	117	52mm open; 52mm open		69,60
	C-4440 par 12 / per 12	Sundance Spas	425	117	52mm open; 52mm open		55,70
12608	C-4602	Sevylor	202	110	55mm open; 55mm open		17,10
12569	C-4607	Coleco - Intex type «A»	202	110	50mm open, 50mm open		12,00
	C-4607 par 45 / per 45	Coleco - Intex type «A»	202	110	50mm open, 50mm open		9,60

H=hauteur/hoogte OD=diamètre ext.-uitw.diameter ID=diamètre int.-inw.diameter



# FILTRATION FILTRATIE

Tarif professionnel 2012 HTVA  
sous réserve de modifications

Réf.	OEM	Utilisation / Toepassingen	H (mm)	OD (mm)	Top End Cap: ID/Config Bot. End Cap: ID /Config	Surface Opp. sq. ft.	€
12575	C-4950	Sundance - Rainbow - American - Cal Spas - Blue Pacific, Arctic, Beachcomber - jacuzzi - Spa Crest-Dynasty	338	125	54mm open, 54mm open	50	59,40
	C-4950 PAR 18 / PER 18	Sundance - Rainbow - American - Cal Spas - Blue Pacific, Arctic, Beachcomber - jacuzzi - Spa Crest-Dynasty	338	125	54mm open, 54mm open	50	47,50
12616	C-4975	Waterway; Hydro Pool Spas	511	125	54mm open, 54mm open	75	71,20
	C-4975 PAR 12 / PER 12	Waterway; Hydro Pool Spas	511	125	54mm open, 54mm open	75	57,00
12570	C-5315	Intex type «B»	255	146	48mm open; 48mm open		24,90
12571	C-5330	Intex type «D»	306	146	48mm open; 48mm open		40,70
13389	C-5601	Jacuzzi Whirlpool Bath	264	144	top closed w/ string loop; 54 mm	25	27,70
	C-5601 P ar 18 / per 18	Jacuzzi Whirlpool Bath	264	144	top closed w/ string loop; 54 mm	25	22,20
12576	C-6401	Nautyl 3 m³/h	170	120	Top closed; 1 1/4» male thread		27,20
	C-6401 par 40 / per 40	Nautyl 3 m³/h	170	120	Top closed; 1 1/4» male thread		21,80
12577	C-6402	Nautyl 4,5 m³/h	250	120	Top closed; 1 1/4» male thread		44,60
	C-6402 par 40 / per 40	Nautyl 4,5 m³/h	250	120	Top closed; 1 1/4» male thread		35,70
12622	C-6430	Hot Spring Spas	267	152	49mm open; 49mm open	30	51,90
12585	C-7367	Dimension One Spas 1561-00	267	181	51mm open; 51mm open	67	97,70
12625	C-7425	Premier Hercules II, Riviera Pool	249	178	76mm open; 76 mm open	25	54,90
13381	C-7447	Hayward CX470-XRE, Sta-Rite PRC 50	359	178	76mm open; 76 mm open	50	86,60
12628	C-7477	Hayward CX570-RE, Sta-Rite PRC 75	498	178	76mm open; 76 mm open	75	96,50
12582	C-7626	Hayward CX250-RE	250	175	75mm open; 75mm open		34,60
12583	C-7656	Hayward CX500-RE	500	178	75mm open; 75mm open		57,30
12584	C-7676	Hayward CX750-RE	745	178	75mm open; 75mm open		76,00
12590	C-8320	Sundance Spas	460	216	top closed castle; 64mm open	125	143,00
12591	C-8325	Sundance Spas 18» - 18,5» (longuer universele / universele lengte)	457- 470	216	top closed w/ 3 step edge; 64mm open	125	140,00
12592	C-8326	Sundance Spas	483	216	1 1/2» male slip fitting/64mm open	125	153,00
13384	C-8399	Caldera	419	203	top closed semi circular handle; open 92 mm x lip seal	100	109,00

H=hauteur/hogte OD=diamètre ext.-uitw.diameter ID=diamètre int.-inw.diameter

# FILTRATION FILTRATIE

Tarif professionnel 2012 HTVA  
sous réserve de modifications

Réf.	OEM	Utilisation / Toepassingen	H (mm)	OD (mm)	Top End Cap: ID/Config Bot. End Cap: ID /Config	Surface Opp. sq. ft.	€
13359	C-8450	Coleman Spas - MAAX Spas	229	203	52mm open; 2» male slip fitting	50	47,40
13361	C-8465	Hot Spring Spas	267	216	76mm open; 76mm open		60,50
13360	C-8475	Coleman Spas	330	203	52mm open; 2» male slip fitting	75	56,80
12630	C-8600	Hayward cx800-RE	441	216	103mm open; 103mm open		123,00
12632	C-9475	Jacuzzi CFR 75 - Soliflow	362	252	148mm open - 154mm open	75	108,00
12578	C-9699	Jacuzzi CFR 100 - CFT 100	505	252	148mm open - 154mm open	100	165,00
12556	4CH-20	White Spring Spas -Vita Spas -Saratoga Spas - Master Spas	171	117	top closed molded cone handle; 1 1/2» male pipe thread	20 top load	40,80
	4CH-20 par 12 / per 12	White Spring Spas -Vita Spas -Saratoga Spas - Master Spas	171	117	top closed molded cone handle; 1 1/2» male pipe thread	20 top load	32,60
12555	4CH-21	Dream Maker	171	117	top closed molded cone handle; 1 1/2» male pipe thread	19 top load	44,90
	4CH-21	Dream Maker	171	117	top closed molded cone handle; 1 1/2» male pipe thread	19 top load	35,90
12557	4CH-24	Astramatic - LA Spas - Gatsby - Sundance	248	117	top closed molded cone handle; 1 1/2» male pipe thread	25 top load	47,30
	4CH-24 par 12 / per 12	Astramatic - LA Spas - Gatsby - Sundance	248	117	top closed molded cone handle; 1 1/2» male pipe thread	25 top load	37,80
12558	4CH-30	Dimension One Spas	302	117	top closed molded cone handle; 1 1/2» male pipe thread	30 top load	47,50
	4CH-30 par 12 / per 12	Dimension One Spas	302	117	top closed molded cone handle; 1 1/2» male pipe thread	30 top load	38,00
12559	4CH-35	Dimension One Spas	406	117	top closed molded cone handle; 1 1/2» male pipe thread	35 top load	62,20
	4CH-35 par 12 / per 12	Dimension One Spas	406	117	top closed molded cone handle; 1 1/2» male pipe thread	35 top load	49,80
12560	4CH-50	Dimension One Spas - Dynasty	375	117	top closed molded cone handle; 1 1/2» male pipe thread	50 top load	62,60
	4CH-50 par 12 / per 12	Dimension One Spas - Dynasty	375	117	top closed molded cone handle; 1 1/2» male pipe thread	50 top load	50,10
12561	4CH-65	Dimension One Spas	498	117	top closed molded cone handle; 1 1/2» male pipe thread	65 top load	79,40
	4CH-65 par 12 / per 12	Dimension One Spas	498	117	top closed molded cone handle; 1 1/2» male pipe thread	65 top load	63,50
12562	4CH-940	Dimension One Spas	381	117	top closed semi circular handle; 1 1/4» SAE male thread	40 top load	59,70
13365	5CH-35	Elite Spas - MAAX	203	143	top closed semi circular handle; 1 1/2» male pipe thread	35	37,20
13366	5CH-203	LA Spas	178	137	top closed; 3» male pipe thread	35	29,20
	5CH-203 par 18 / per 18	LA Spas	178	137	top closed; 3» male pipe thread	35	23,40
13367	5CH-352	Marquis Spas - Cal Spas	318	132	top closed bar handle; 2» male pipe thread	35	32,50
	5CH-352 par 18 / per 18	Marquis Spas - Cal Spas	318	132	top closed bar handle; 2» male pipe thread	35	26,00



H=hauteur/hooft OD=diamètre ext.-uitw.diameter ID=diamètre int.-inw.diameter



# FILTRATION FILTRATIE

Tarif professionnel 2012 HTVA  
sous réserve de modifications

Réf.	OEM	Utilisation / Toepassingen	H (mm)	OD (mm)	Top End Cap: ID/Config Bot. End Cap: ID /Config	Surface Opp. sq. ft.	€
13368	5CH-502	Marquis Spas - Cal Spas	318	132	top closed bar handle; 2» male pipe thread	50	39,40
	5CH-502 par 18 / per 18	Marquis Spas - Cal Spas	318	132	top closed bar handle; 2» male pipe thread	50	26,00
12563	6CH-940	Riviera Pool - Dynasty -Catalina Spas	210	152	top closed semi circular handle; 1 1/2» SAE male thread	45 front access	63,30
	6CH-940 par 10 / per 10	Riviera Pool - Dynasty -Catalina Spas	210	152	top closed semi circular handle; 1 1/2» SAE male thread	45 front access	50,60
13362	6CH-941	Waterway	210	152	top closed semi circular handle; 1 3/4» male slip fitting	45 stacked top load	38,70
12566	6CH-942	Waterway	210	152	open 1 3/4»; 1 1/2» SAE male thread	45 stacked top load	61,00
12565	6CH-502	Artesian Spas	203	172	top closed semi circular handle; 2» male pipe thread	50	46,30
13363	6CH-960	Jacuzzi Premium	394	172	top closed semi circular handle; 2» SAE male thread	52	46,10
13271	6CH-47	Sundance - Hydro Spa	232	15	top closed semi circular handle; 1 1/2» male pipe thread	47	58,10
13255	7CH-322	Master Spas - Coleman Spas -Artesian Spas	203	178	top closed semi circular handle; 2» male pipe thread	32 top load	36,80
12593	SC3 SR35	Sta-Rite TX-35	248	220	106mm open; 106mm open		48,00
12594	SC3 SR-50	Sta-Rite TX-50	339	220	106mm open; 106mm open		64,40
12595	SC3 SR-70	Sta-Rite TX-70	463	220	106mm open; 106mm open		80,40
12596	SC3 SR-100	Sta-Rite TX-100	654	220	106mm open; 106mm open		106,00
12597	SC3 SR-135	Posi-Flo	876	220	106mm open; 106mm open		139,00
12598	SC3 SR-137	Posi-FloII	794	220	106mm open; 106mm open		132,00

H=hauteur/hogte OD=diamètre ext.-uitw.diameter ID=diamètre int.-inw.diameter

## END CAP CONFIGURATIONS

